

Miniature Fuses Size 6x32 HA 37

250V - Semiconductor Protection Fuses

MINIATURE FUSES

6X32MM SEMICONDUCTOR PROTECTION FUSES



FEATURES & BENEFITS

- 6x32
- Fast acting
- 250V
- Packaging: box of 50pcs

APPLICATIONS

- Protection of converters with semi-conductors, diodes, thyristors, triacs

Mersen's Miniature Fuses 6x32 HA 37 250V provide fast protection for sensitive electronic components.

Their fast-acting (HA 37) design safeguards semiconductor devices from overcurrent and short circuits.

Compact and versatile, these 250V fuses ensure reliable performance across various applications.

Built with high-quality materials, they offer high breaking capacity to prevent damage, enhancing system longevity and reliability.

TECHNICAL DATA OVERVIEW

Voltage	250V
Ampere range	0,31A-16A
Speed/Characteristic	HA 37
Size per Standard	6x32
Package	50 pc
Weight	2.5 g



Miniature Fuses Size 6x32 HA 37

250V - Semiconductor Protection Fuses

PRODUCT RANGE

Size 6x32 HA 37 250V


Catalog number	Item number	Rated voltage AC	Rated current I _n	Breaking capacity
MI6HA37F25V0.31	Y079026	250 V	0.31 A	10kA under 250VAC Cos Φ 0.9-1
MI6HA37F25V0.4	Z079027	250 V	0.4 A	
MI6HA37F25V0.5	A079028	250 V	0.5 A	
MI6HA37F25V0.63	B079029	250 V	0.63 A	
MI6HA37F25V0.8	C079030	250 V	0.8 A	
MI6HA37F25V1	D079031	250 V	1 A	
MI6HA37F25V1.6	E079032	250 V	1.6 A	
MI6HA37F25V2	F079033	250 V	2 A	
MI6HA37F25V3.15	G079034	250 V	3.15 A	
MI6HA37F25V4	H079035	250 V	4 A	
MI6HA37F25V5	J079036	250 V	5 A	
MI6HA37F25V6.3	K079037	250 V	6.3 A	
MI6HA37F25V8	L079038	250 V	8 A	
MI6HA37F25V10	M079039	250 V	10 A	
MI6HA37F25V12.5	N079040	250 V	12.5 A	
MI6HA37F25V16	P079041	250 V	16 A	

Miniature Fuses Size 6x32 HA 37

250V - Semiconductor Protection Fuses

TIME CURRENT CHARACTERISTIC CURVES

Size 6x32 HA 37 250V 0.31A-0.63A




Miniature Fuses Size 6x32 HA 37

250V - Semiconductor Protection Fuses

TIME CURRENT CHARACTERISTIC CURVES

Size 6x32 HA 37 250V 0.8A-1A




Miniature Fuses Size 6x32 HA 37

250V - Semiconductor Protection Fuses

TIME CURRENT CHARACTERISTIC CURVES

Size 6x32 HA 37 250V 1.6A-6.3A




Miniature Fuses Size 6x32 HA 37

250V - Semiconductor Protection Fuses

TIME CURRENT CHARACTERISTIC CURVES

Size 6x32 HA 37 250V 8A-16A




Miniature Fuses Size 6x32 HA 37

250V - Semiconductor Protection Fuses

DIMENSIONS

Fuses Size 6x32 HA 37 250V



Dimensions in mm