

We MERSEN USA EP Corp.
374 Merrimac Street Newburyport, MA 01950 USA

Certify that products with the registered trade mark Mersen

Product type Medium Voltage IEEE Fuses
Distribution Transformer Protection

Model Series Line 8.3kV ETP Fuses

References please refer to page 2 for catalog number

comply with the EU RoHS (Restriction of Hazardous Substances) Directives:

RoHS directive N° 2011/65/UE

RoHS directive N° 2015/863

https://ec.europa.eu/environment/waste/rohs_eee/index_en.htm

and declare that the materials and the processes used to manufacture the above-mentioned parts do not contain any of the restricted substances beyond their specified limit at homogeneous material level as mentioned in the table:

Sl. No.	RoHS Restricted Substances	Max. Concentration
1.	Cadmium	0.01%
2.	Mercury	0.1%
3.	Lead	0.1%
4.	Chromium VI	0.1%
5.	Polybrominated biphenyls (PBB)	0.1%
6.	Polybrominated diphenyl ethers (PBDE)	0.1%
7.	Bis(2-ethylhexyl) phthalate (DEHP)	0.1%
8.	Butyl benzyl phthalate (BBP)	0.1%
9.	Dibutyl phthalate (DBP)	0.1%
10.	Di-isobutyl phthalate (DIBP)	0.1%

Any exemptions are listed below and exemption validity dates are monitored by Mersen.

The information provided below is based on data obtained through ongoing due diligence with our suppliers. In some cases, the information may not yet represent full coverage of our supply chain. Mersen reserves the right to update or amend this declaration as additional data becomes available, or verification processes are completed.


This declaration is not an EU or UKCA declaration of conformity, Mersen USA EP Corp. is providing RoHS conformity to all product ranges even if they are out of the scope of the directive with the same level of compliance on substances restrictions and corresponding exemptions.

Date / Location : 23.03.2026 / Newburyport

Name : Tim KAPPEN

Position / Signature :

Sr. Manager Quality
For the president and by delegation



COMP-015750

Catalog number list

Item number	ROHS exemption
9F59UBC101	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC111	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC121	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC131	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC132	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC122	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC102	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC112	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC134	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC124	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC104	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC114	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC201	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC251	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC271	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC241	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC211	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC221	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC231	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC261	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC281	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC202	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC222	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC242	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC252	6(c) - Copper alloy containing up to 4% lead by weight

9F59UBC272	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC212	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC232	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC262	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC282	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC204	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC224	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC214	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC234	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC254	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC264	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC274	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC284	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC208	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC218	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC228	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC238	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC248	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC258	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC268	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC278	6(c) - Copper alloy containing up to 4% lead by weight
9F59UBC288	6(c) - Copper alloy containing up to 4% lead by weight