

We MERSEN USA EP Corp.
374 Merrimac Street Newburyport, MA 01950 USA

Certify that products with the registered trade mark Mersen

Product type Special Purpose Fuses
DC Fuses

Model Series Line MDC06A - DC Distribution

References please refer to page 2 for catalog number

comply with the EU RoHS (Restriction of Hazardous Substances) Directives:

RoHS directive N° 2011/65/UE

RoHS directive N° 2015/863

https://ec.europa.eu/environment/waste/rohs_eee/index_en.htm

and declare that the materials and the processes used to manufacture the above-mentioned parts do not contain any of the restricted substances beyond their specified limit at homogeneous material level as mentioned in the table:

Sl. No.	RoHS Restricted Substances	Max. Concentration
1.	Cadmium	0.01%
2.	Mercury	0.1%
3.	Lead	0.1%
4.	Chromium VI	0.1%
5.	Polybrominated biphenyls (PBB)	0.1%
6.	Polybrominated diphenyl ethers (PBDE)	0.1%
7.	Bis(2-ethylhexyl) phthalate (DEHP)	0.1%
8.	Butyl benzyl phthalate (BBP)	0.1%
9.	Dibutyl phthalate (DBP)	0.1%
10.	Di-isobutyl phthalate (DIBP)	0.1%

Any exemptions are listed below and exemption validity dates are monitored by Mersen.

The information provided below is based on data obtained through ongoing due diligence with our suppliers. In some cases, the information may not yet represent full coverage of our supply chain. Mersen reserves the right to update or amend this declaration as additional data becomes available, or verification processes are completed.

This declaration is not an EU or UKCA declaration of conformity, Mersen USA EP Corp. is providing RoHS conformity to all product ranges even if they are out of the scope of the directive with the same level of compliance on substances restrictions and corresponding exemptions.

Date / Location : 03.03.2026 / Newburyport

Name : Tim KAPPEN

Position / Signature :

Sr. Manager Quality
For the president and by delegation

COMP-015506

Catalog number list

Item number	ROHS exemption
MDC06A1	6(c) - Copper alloy containing up to 4% lead by weight
MDC06A2	6(c) - Copper alloy containing up to 4% lead by weight
MDC06A3	
MDC06A4	
MDC06A5	
MDC06A6	
MDC06A7	
MDC06A8	
MDC06A10	
MDC06A12	
MDC06A15	
MDC06A20	
MDC06A25	
MDC06A30	
MDC06A35	
MDC06A40	
MDC06A50	
MDC06A1P	6(c) - Copper alloy containing up to 4% lead by weight
MDC06A2P	6(c) - Copper alloy containing up to 4% lead by weight
MDC06A3P	
MDC06A4P	
MDC06A5P	
MDC06A6P	
MDC06A7P	
MDC06A8P	
MDC06A10P	
MDC06A12P	
MDC06A15P	
MDC06A20P	
MDC06A25P	
MDC06A30P	
MDC06A35P	
MDC06A50P	
MDC06A40P	
MDC06A1S	6(c) - Copper alloy containing up to 4% lead by weight
MDC06A2S	6(c) - Copper alloy containing up to 4% lead by weight
MDC06A3S	
MDC06A4S	
MDC06A5S	
MDC06A6S	
MDC06A7S	

MDC06A8S	
MDC06A10S	
MDC06A12S	
MDC06A15S	
MDC06A20S	
MDC06A25S	
MDC06A30S	
MDC06A35S	
MDC06A40S	
MDC06A50S	