

**We** MERSEN FRANCE SB  
15, Rue Jacques de Vaucanson 69720 SAINT BONNET DE MURE FRANCE

**Certify that products with the registered trade mark Mersen**

**Product type** High-Speed and Semiconductor protection fuses  
Square Body High-Speed Fuse-Links AC Protection

**Model Series Line** Protistor® size 2x72 and 2x73 aR, 550 to 1250VAC (IEC)

**References** please refer to page 2 for catalog number

**comply with the EU RoHS (Restriction of Hazardous Substances) Directives:**

**RoHS directive N° 2011/65/UE**

**RoHS directive N° 2015/863**

[https://ec.europa.eu/environment/waste/rohs\\_eee/index\\_en.htm](https://ec.europa.eu/environment/waste/rohs_eee/index_en.htm)

and declare that the materials and the processes used to manufacture the above-mentioned parts do not contain any of the restricted substances beyond their specified limit at homogeneous material level as mentioned in the table:

Sl. No.	RoHS Restricted Substances	Max. Concentration
1.	Cadmium	0.01%
2.	Mercury	0.1%
3.	Lead	0.1%
4.	Chromium VI	0.1%
5.	Polybrominated biphenyls (PBB)	0.1%
6.	Polybrominated diphenyl ethers (PBDE)	0.1%
7.	Bis(2-ethylhexyl) phthalate (DEHP)	0.1%
8.	Butyl benzyl phthalate (BBP)	0.1%
9.	Dibutyl phthalate (DBP)	0.1%
10.	Di-isobutyl phthalate (DIBP)	0.1%

**Any exemptions are listed below and exemption validity dates are monitored by Mersen.**

The information provided is based upon data obtained from ongoing due diligence concerning goods and materials provided by our suppliers. Mersen reserves the right to update and modify this communication, as it believes necessary or appropriate.

**Date / Location :** 17.04.2026 / Saint Bonnet de Mure

**Name :** Pierre LAVAUD

**Position / Signature :**

Head of R&D department  
For the president and by delegation



## Catalog number list

Catalog number	Item number	ROHS exemption
PC272UD11C13CTF	M302231	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC272UD13C10CTF	A300725	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC272UD13C11CTF	B300726	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC272UD13C630TF	W300721	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC272UD13C700TF	X300722	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC272UD13C800TF	Y300723	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC272UD13C900TF	Z300724	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC272UD10C16CTF	L302230	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC272UD11C14CTF	D300728	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC272UD65V22CTF	G301996	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC272UD65V25CTF	H301997	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC272UD75V20CTF	F301995	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC272UD90V18CTF	E301994	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact

		fuse only) 7(a) - for lead alloys (High temperature solder)
PC76UD85V28CP11	S300741	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC76UD95V22CP11	M301909	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC76UD90V25CP11	R300740	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC76UD55V36CP11	N302002	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC76UD60V30CP11	K301999	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC76UD60V32CP11	M302001	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC273UD11C14CTF	K302229	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC273UD11C16CTF	J302228	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC273UD11C18CTF	S302236	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC273UD13C10CTF	H300732	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC273UD13C13CTF	K300734	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC273UD13C800TF	F300730	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC273UD13C900TF	G300731	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)

PC273UD95V22CTF	Q300739	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC273UD10C20CTF	P300738	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)