

We MERSEN FRANCE SB
15, Rue Jacques de Vaucanson 69720 SAINT BONNET DE MURE FRANCE

Certify that products with the registered trade mark Mersen

Product type High-Speed and Semiconductor protection fuses
Square Body High-Speed Fuse-Links AC Protection

Model Series Line Protistor® size 30 aR, 600 - 690VAC (IEC) / 700VAC (UL)

References please refer to page 2 for catalog number

comply with the EU RoHS (Restriction of Hazardous Substances) Directives:

RoHS directive N° 2011/65/UE

RoHS directive N° 2015/863

https://ec.europa.eu/environment/waste/rohs_eee/index_en.htm

and declare that the materials and the processes used to manufacture the above-mentioned parts do not contain any of the restricted substances beyond their specified limit at homogeneous material level as mentioned in the table:

Sl. No.	RoHS Restricted Substances	Max. Concentration
1.	Cadmium	0.01%
2.	Mercury	0.1%
3.	Lead	0.1%
4.	Chromium VI	0.1%
5.	Polybrominated biphenyls (PBB)	0.1%
6.	Polybrominated diphenyl ethers (PBDE)	0.1%
7.	Bis(2-ethylhexyl) phthalate (DEHP)	0.1%
8.	Butyl benzyl phthalate (BBP)	0.1%
9.	Dibutyl phthalate (DBP)	0.1%
10.	Di-isobutyl phthalate (DIBP)	0.1%

Any exemptions are listed below and exemption validity dates are monitored by Mersen.

The information provided is based upon data obtained from ongoing due diligence concerning goods and materials provided by our suppliers. Mersen reserves the right to update and modify this communication, as it believes necessary or appropriate.

Date / Location : 16.04.2026 / Saint Bonnet de Mure

Name : Pierre LAVAUD

Position / Signature :
Head of R&D department
For the president and by delegation *Pierre Lavaud*

Catalog number list

Catalog number	Item number	ROHS exemption
PC30UD69V100D1A	S300120	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V125D1A	T300121	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V160D1A	V300122	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V200D1A	W300123	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V250D1A	X300124	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V315D1A	Y300125	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V350D1A	Z300126	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V400D1A	A300127	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V450D1A	S300695	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V500D1A	Y301091	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V50D1A	G301191	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V550D1A	Z301092	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V63D1A	Q300118	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse

		only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V80D1A	R300119	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V100A	G300110	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V125A	H300111	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V160A	J300112	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V200A	K300113	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V250A	L300114	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V315A	M300115	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V350A	N300116	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V400A	P300117	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V450A	A300403	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V500A	B300404	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V50A	F301926	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V550A	C300405	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)

PC30UD69V63A	E300108	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V80A	F300109	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V100EF	K300090	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V125EF	L300091	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V160EF	M300092	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V200EF	N300093	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V250EF	P300094	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V315EF	Q300095	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V350EF	R300096	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V400EF	S300097	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V50EF	R300372	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V63EF	H300088	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V80EF	J300089	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD60V630TF	L301770	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse

		only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V100TF	T300052	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V125TF	V300053	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V160TF	W300054	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V200TF	X300055	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V250TF	Y300056	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V315TF	Z300057	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V350TF	A300058	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V400TF	B300059	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V450TF	V300398	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V500TF	W300399	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V50TF	S300373	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V550TF	X300400	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
PC30UD69V63TF	M300000	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)

PC30UD69V80TF	S300051	6(b) - for aluminum alloys (signalization pin) 6(c) - for copper alloys (Brass for Flush end contact fuse only) 7(a) - for lead alloys (High temperature solder)
---------------	---------	---