

We MERSEN USA EP Corp.
374 Merrimac Street Newburyport, MA 01950 USA

Certify that products with the registered trade mark Mersen Ferraz Shawmut

Product type Low Voltage UL/CSA Fuses
Class RK5

Model Series Line TR-R - Class RK5 - Time-Delay

References please refer to page 2 for catalog number

comply with the EU RoHS (Restriction of Hazardous Substances) Directives:

RoHS directive N° 2011/65/UE

RoHS directive N° 2015/863

https://ec.europa.eu/environment/waste/rohs_eee/index_en.htm

and declare that the materials and the processes used to manufacture the above-mentioned parts do not contain any of the restricted substances beyond their specified limit at homogeneous material level as mentioned in the table:

Sl. No.	RoHS Restricted Substances	Max. Concentration
1.	Cadmium	0.01%
2.	Mercury	0.1%
3.	Lead	0.1%
4.	Chromium VI	0.1%
5.	Polybrominated biphenyls (PBB)	0.1%
6.	Polybrominated diphenyl ethers (PBDE)	0.1%
7.	Bis(2-ethylhexyl) phthalate (DEHP)	0.1%
8.	Butyl benzyl phthalate (BBP)	0.1%
9.	Dibutyl phthalate (DBP)	0.1%
10.	Di-isobutyl phthalate (DIBP)	0.1%

Any exemptions are listed below and exemption validity dates are monitored by Mersen.

The information provided below is based on data obtained through ongoing due diligence with our suppliers. In some cases, the information may not yet represent full coverage of our supply chain. Mersen reserves the right to update or amend this declaration as additional data becomes available, or verification processes are completed.

This declaration is not an EU or UKCA declaration of conformity, Mersen USA EP Corp. is providing RoHS conformity to all product ranges even if they are out of the scope of the directive with the same level of compliance on substances restrictions and corresponding exemptions.

Date / Location : 10.03.2026 / Newburyport

Name : Tim KAPPEN

Position / Signature :

Sr. Manager Quality
For the president and by delegation

COMP-015663

Catalog number list

Item number	ROHS exemption
TR70R	6(c) - Copper alloy containing up to 4% lead by weight
TR75R	6(c) - Copper alloy containing up to 4% lead by weight
TR80R	6(c) - Copper alloy containing up to 4% lead by weight
TR90R	6(c) - Copper alloy containing up to 4% lead by weight
TR100R	6(c) - Copper alloy containing up to 4% lead by weight
TR70RID	6(c) - Copper alloy containing up to 4% lead by weight
TR80RID	6(c) - Copper alloy containing up to 4% lead by weight
TR90RID	6(c) - Copper alloy containing up to 4% lead by weight
TR100RID	6(c) - Copper alloy containing up to 4% lead by weight
TR110R	
TR125R	
TR150R	
TR175R	
TR200R	
TR110RID	
TR125RID	
TR150RID	
TR175RID	
TR200RID	
TR1/10R	
TR15/100R	
TR2/10R	
TR3/10R	
TR4/10R	
TR1/2R	
TR6/10R	
TR8/10R	
TR1R	
TR1-1/8R	
TR1-1/4R	
TR1-4/10R	
TR1-6/10R	
TR1-8/10R	
TR2R	
TR2-1/4R	
TR2-1/2R	
TR2-8/10R	
TR3R	
TR3-2/10R	

TR3-1/2R	
TR4R	
TR4-1/2R	
TR5R	
TR5-6/10R	
TR6R	
TR6-1/4R	
TR7R	
TR8R	
TR9R	
TR10R	
TR12R	
TR15R	6(c) - Copper alloy containing up to 4% lead by weight
TR17-1/2R	6(c) - Copper alloy containing up to 4% lead by weight
TR20R	6(c) - Copper alloy containing up to 4% lead by weight
TR25R	6(c) - Copper alloy containing up to 4% lead by weight
TR30R	
TR10R-3PK	
TR15R-3PK	
TR20R-3PK	
TR25R-3PK	
TR30R-3PK	
TR8RID	
TR10RID	
TR12RID	
TR15RID	6(c) - Copper alloy containing up to 4% lead by weight
TR20RID	6(c) - Copper alloy containing up to 4% lead by weight
TR25RID	6(c) - Copper alloy containing up to 4% lead by weight
TR30RID	6(c) - Copper alloy containing up to 4% lead by weight
TR9RID	
TR17-1/2RID	6(c) - Copper alloy containing up to 4% lead by weight
TR225R	
TR250R	
TR300R	
TR350R	
TR400R	
TR225RID	
TR250RID	
TR300RID	
TR350RID	
TR400RID	

TR35R	6(c) - Copper alloy containing up to 4% lead by weight
TR40R	6(c) - Copper alloy containing up to 4% lead by weight
TR45R	6(c) - Copper alloy containing up to 4% lead by weight
TR50R	6(c) - Copper alloy containing up to 4% lead by weight
TR60R	6(c) - Copper alloy containing up to 4% lead by weight
TR450R	
TR500R	
TR600R	
TR450RID	
TR500RID	
TR600RID	
TR35R-3PK	
TR40R-3PK	
TR45R-3PK	
TR50R-3PK	
TR60R-3PK	
TR35RID	6(c) - Copper alloy containing up to 4% lead by weight
TR40RID	6(c) - Copper alloy containing up to 4% lead by weight
TR45RID	6(c) - Copper alloy containing up to 4% lead by weight
TR50RID	6(c) - Copper alloy containing up to 4% lead by weight
TR60RID	6(c) - Copper alloy containing up to 4% lead by weight