

We MERSEN USA EP Corp.
374 Merrimac Street Newburyport, MA 01950 USA

Certify that products with the registered trade mark Mersen Ferraz Shawmut

Product type Low Voltage UL/CSA Fuses
Class RK5

Model Series Line TRS-R - Class RK5 - Time-Delay

References please refer to page 2 for catalog number

comply with the EU RoHS (Restriction of Hazardous Substances) Directives:

RoHS directive N° 2011/65/UE

RoHS directive N° 2015/863

https://ec.europa.eu/environment/waste/rohs_eee/index_en.htm

and declare that the materials and the processes used to manufacture the above-mentioned parts do not contain any of the restricted substances beyond their specified limit at homogeneous material level as mentioned in the table:

Sl. No.	RoHS Restricted Substances	Max. Concentration
1.	Cadmium	0.01%
2.	Mercury	0.1%
3.	Lead	0.1%
4.	Chromium VI	0.1%
5.	Polybrominated biphenyls (PBB)	0.1%
6.	Polybrominated diphenyl ethers (PBDE)	0.1%
7.	Bis(2-ethylhexyl) phthalate (DEHP)	0.1%
8.	Butyl benzyl phthalate (BBP)	0.1%
9.	Dibutyl phthalate (DBP)	0.1%
10.	Di-isobutyl phthalate (DIBP)	0.1%

Any exemptions are listed below and exemption validity dates are monitored by Mersen.

The information provided below is based on data obtained through ongoing due diligence with our suppliers. In some cases, the information may not yet represent full coverage of our supply chain. Mersen reserves the right to update or amend this declaration as additional data becomes available, or verification processes are completed.

This declaration is not an EU or UKCA declaration of conformity, Mersen USA EP Corp. is providing RoHS conformity to all product ranges even if they are out of the scope of the directive with the same level of compliance on substances restrictions and corresponding exemptions.

Date / Location : 10.03.2026 / Newburyport

Name : Tim KAPPEN

Position / Signature :

Sr. Manager Quality
For the president and by delegation



COMP-015665

Catalog number list

Item number	ROHS exemption
TRS70R	6(c) - Copper alloy containing up to 4% lead by weight
TRS75R	6(c) - Copper alloy containing up to 4% lead by weight
TRS80R	6(c) - Copper alloy containing up to 4% lead by weight
TRS90R	6(c) - Copper alloy containing up to 4% lead by weight
TRS100R	
TRS70RID	6(c) - Copper alloy containing up to 4% lead by weight
TRS80RID	6(c) - Copper alloy containing up to 4% lead by weight
TRS90RID	6(c) - Copper alloy containing up to 4% lead by weight
TRS100RID	6(c) - Copper alloy containing up to 4% lead by weight
TRS15R	6(c) - Copper alloy containing up to 4% lead by weight
TRS17-1/2R	6(c) - Copper alloy containing up to 4% lead by weight
TRS20R	6(c) - Copper alloy containing up to 4% lead by weight
TRS25R	6(c) - Copper alloy containing up to 4% lead by weight
TRS30R	
TRS10R-3PK	
TRS15R-3PK	
TRS20R-3PK	
TRS25R-3PK	
TRS30R-3PK	
TRS15RID	6(c) - Copper alloy containing up to 4% lead by weight
TRS17-1/2RID	6(c) - Copper alloy containing up to 4% lead by weight
TRS20RID	6(c) - Copper alloy containing up to 4% lead by weight
TRS25RID	6(c) - Copper alloy containing up to 4% lead by weight
TRS30RID	6(c) - Copper alloy containing up to 4% lead by weight
TRS35R	6(c) - Copper alloy containing up to 4% lead by weight
TRS40R	6(c) - Copper alloy containing up to 4% lead by weight
TRS45R	6(c) - Copper alloy containing up to 4% lead by weight
TRS50R	6(c) - Copper alloy containing up to 4% lead by weight

TRS60R	6(c) - Copper alloy containing up to 4% lead by weight
TRS35R-3PK	
TRS40R-3PK	
TRS45R-3PK	
TRS50R-3PK	
TRS60R-3PK	
TRS35RID	6(c) - Copper alloy containing up to 4% lead by weight
TRS40RID	6(c) - Copper alloy containing up to 4% lead by weight
TRS45RID	6(c) - Copper alloy containing up to 4% lead by weight
TRS50RID	6(c) - Copper alloy containing up to 4% lead by weight
TRS60RID	6(c) - Copper alloy containing up to 4% lead by weight